


# Enhancement of electrically evoked startle-like

---

---

Medical Sciences (Beijing, China). The rats were anesthetized deeply with 10% chloral hydrate (400 mg/kg, i.p.) and placed in a Kopf stereotaxic head holder. A state of areflexia was maintained throughout the experiment by supplemental injection of the same anesthetic. Flexible wire electrodes were implanted into the hindlimb anterior biceps femoris muscles for measuring EMG responses. A midline incision



**Fig. 1.** Schematic diagram of the experimental setup for studying startle-like responses. The locations of the inferior colliculus, amygdala, and deeper layers of the superior colliculus are indicated by small squares and lines. The caudal pontine reticular nucleus (CPRN) is the central processing area. (S) indicates the start of the response and the peak-to-peak amplitude is indicated by a double-headed arrow.

IC

Ce



EMG responses to ipsilateral IC stimulation only to a small degree, and did not significantly change the responses to contralateral IC stimulation. Although the DpSC receives direct axonal projections from the ipsilateral external cortex of the IC [14], the present results suggest that the circuits by which IC outputs facilitate startle are not the same as those from the amygdala.

The most striking finding of the present study is that the Ce-induced startle-like responses can be markedly enhanced by tetanic stimulation of the ipsilateral DpSC. This mesencephalic synaptic relay station in the descending pathway from the amygdala to the primary startle circuit may allow for further interactions between fear outputs mediated by the amygdala and approach/avoidance outputs mediated by the DpSC. Investigation of the plasticity of this relay station would be important for understanding the dynamic processes of fear-modulated orientation and startle responses.

### CONCLUSION

Unilateral electrical stimulation of either the Ce or the IC evoked unconditional startle-like responses at short latencies, suggesting functional connections of these two structures with the startle circuits. High-frequency unilateral tetanic stimulation of the DpSC had a strong enhancing effect on the startle-like EMG responses to ipsilateral Ce stimulation, but a smaller enhancing effect on the responses to contralateral Ce stimulation and those to ipsilateral IC stimulation, and even less effect on the responses to contralateral IC stimulation. The functional plasticity in the startle-like EMG responses to ipsilateral Ce stimulation

following tetanic DpSC stimulation, therefore, provides a model for studying the neural substrates of emotional expression and learning.

### REFERENCES

1. Yeomans JS, Li L, Scott BW *et al. Neurosci Biobehav Rev* **26**, 1–11 (2002).
2. Fendt M and Fanselow MS. *Neurosci Biobehav Rev* **23**, 743–760 (1999).
3. Gewirtz JC and Davis M. *Learn Memory* **7**, 257–266 (2000).
4. Yeomans JS and Pollard BA. *Behav Neurosci* **107**, 596–610 (1993).
5. Frankland PW and Yeomans JS. *Behav Neurosci* **109**, 669–680 (1995).
6. Li L, Fulton JD and Yeomans JS. *Brain Res* **836**, 164–172 (1999).
7. Brandao ML, Anseloni VZ, Pandossio JE *et al. Neurosci Biobehav Rev* **23**, 863–875 (1999).
8. Li L, Priebe RPM and Yeomans JS. *Behav Neurosci* **112**, 1187–1198 (1998).
9. Meloni EG and Davis M. *Behav Neurosci* **113**, 1152–1160 (1999).
10. Meloni EG and Davis M. *J Neurosci* **20**, 5374–5381 (2000).
11. Coimbra NC and Brandao ML. *Behav Brain Res* **87**, 97–103 (1997).
12. King SM. *Behav Brain Res* **98**, 127–142 (1999).
13. Eichenberger GCD, Ribeiro SJ, Osaki MY *et al. Neuropharmacology* **42**, 48–59 (2002).
14. Druga R and Syka J. *Neuroscience Lett* **45**, 247–252 (1984).
15. Lee Y, Lopez DE, Meloni EG *et al. J Neurosci* **16**, 3775–3789 (1996).
16. Koch M and Schnitzler H-U. *Behav Brain Res* **89**, 35–49 (1997).
17. Okada Y and Miyamoto T. *Neurosci Lett* **96**, 108–113 (1989).
18. Gean PW, Chang FC, Huang CC *et al. Brain Res Bull* **31**, 7–11 (1993).
19. Zhang Y and Wu SH. *Hearing Res* **147**, 92–103 (2000).
20. Li L and Yeomans JS. *Brain Res Prot* **5**, 67–74 (2000).
21. Paxinos G and Watson C. *The Rat Brain in Stereotaxic Coordinates*, 2nd edn. Orlando, Florida: Academic Press; 1986.
22. Li L and Yeomans JS. *Neuroscience* **90**, 139–152 (1999).
23. Scott BW, Frankland PW, Li L *et al. Neuroscience* **91**, 1565–1574 (1999).
24. Li L, Steidl S and Yeomans JS. *Neuroscience* **106**, 811–821 (2001).
25. Chapman CA and Yeomans JS. *Neuroscience* **59**, 699–711 (1994).

Acknowledgements: This work was supported by the National Natural Science Foundation of China (grant no. 30070017) and the National Science and Engineering Research Council of Canada.